

Cable Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-1

NO.	Picture	Length	Width	Wire Diameter	Name
/		15.7mm / 0.62"	22.0mm / 0.86"	4.1mm / 0.16"	4-Sided Polished Cuban Chain
/		7.0mm / 0.27"	9.0mm / 0.35"	2.0mm / 0.078"	4-Sided Polished Cuban Chain
/		2.9mm / 0.11"	3.7mm / 0.14"	0.9mm / 0.035"	4-Sided Polished Cuban Chain
/		2.3mm / 0.09"	3.0mm / 0.12"	0.7mm / 0.027"	4-Sided Polished Cuban Chain
/		1.8mm / 0.07"	2.4mm / 0.09"	0.6mm / 0.023"	4-Sided Polished Cuban Chain
/		11.2mm / 0.44"	15.5mm / 0.61"	4.0mm / 0.15"	6-Sided Polished Cuban Chain
/		6.5mm / 0.25"	10.0mm / 0.39"	2.2mm / 0.086"	6-Sided Polished Cuban Chain
/		4.5mm / 0.17"	6.7mm / 0.26"	1.5mm / 0.059"	6-Sided Polished Cuban Chain
/		5.1mm / 0.20"	7.2mm / 0.28"	1.5mm / 0.059"	8-Sided Polished Cuban Chain
/		6.0mm / 0.23"	8.0mm / 0.31"	2.0mm / 0.078"	10-Sided Polished Cuban Chain
/		5.2mm / 0.20"	7.9mm / 0.31" 10.5mm / 0.41"	1.5mm / 0.059"	Figaro Chain
/		2.8mm / 0.11"	4.0mm / 0.16"	0.9mm / 0.035"	Curb Chain
/		2.8mm / 0.11"	4.0mm / 0.16"	0.5mm / 0.019"	Tail Chain
/					

Cross Chain / Herringbone Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-2


NO.	Picture	Length	Width	Wire Diameter	Name
/		7.2mm / 0.28"	9.2mm / 0.36"	2.0mm / 0.078"	Cross Chain
/		2.0mm / 0.078"	2.7mm / 0.10"	0.6mm / 0.023"	Cross Chain
/		5.0mm / 0.20"	7.9mm / 0.31"	1.7mm / 0.066"	Cross Squashed Chain
/		3.0mm / 0.12"	4.2mm / 0.16"	0.7mm / 0.027"	Cross Flash O Chain
/		2.0mm / 0.078"	2.8mm / 0.11"	0.4mm / 0.015"	Cross Flash O Chain
/		1.8mm / 0.070"	2.2mm / 0.086"	0.4mm / 0.015"	Cross Flash O Chain
/		4.0mm / 0.16"	6.2mm / 0.24"	1.1mm / 0.043"	Cross Diamond Cut Chain
/		2.8mm / 0.11"	4.0mm / 0.16"	0.8mm / 0.031"	Cross Diamond Cut Chain
/		1.5mm / 0.059"	2.4mm / 0.094"	0.3mm / 0.012"	Cross Diamond Cut Chain
/		Bead 3.6mm / 0.14"	3.6mm / 0.14"	/	Double Bead Cross Flash O Chain
		Cross Chain 1.6mm / 0.063"	2.6mm / 0.10"	0.4mm / 0.015"	
/		5.5mm / 0.21"	13.6mm / 0.53"	1.5mm / 0.059"	Paperclip Chain
/		5.5mm / 0.21"	13.6mm / 0.53"	1.5mm / 0.059"	Paperclip Chain
/		10.8mm / 0.42"	18.8mm / 0.74"	2.5mm / 0.098"	Paperclip Chain
/		1.8mm / 0.07"	/	0.4mm / 0.015"	Herringbone Chain
/		3.0mm / 0.12"	/	0.6mm / 0.023"	Herringbone Chain

Box Chain

Material : 316L Stainless Steel

Date: 2026-06-30


Version No. : Chain-3



NO.	Outer Width	Outer Length	Wire Diameter	Inner Length	Inner Width	Weight M(KG)
BS-277	1.0mm / 0.04"	0.8mm / 0.03"	0.1mm / 0.004"	0.4mm / 0.015"	0.6mm / 0.02"	
BS-278	1.2mm / 0.05"	1.0mm / 0.04"	0.2mm / 0.007"	0.6mm / 0.023"	0.8mm / 0.03"	
BS-279	1.5mm / 0.06"	1.2mm / 0.05"	0.2mm / 0.007"	0.8mm / 0.031"	1.2mm / 0.05"	
BS-280	2.0mm / 0.08"	1.5mm / 0.06"	0.24mm / 0.009"	1.0mm / 0.039"	1.5mm / 0.06"	
BS-281	2.4mm / 0.09"	1.8mm / 0.07"	0.3mm / 0.011"	1.2mm / 0.047"	2.0mm / 0.08"	
BS-282	3.0mm / 0.12"	2.3mm / 0.09"	0.3mm / 0.011"	1.5mm / 0.059"	2.5mm / 0.10"	
BS-283	4.0mm / 0.16"	3.0mm / 0.12"	0.4mm / 0.015"	2.0mm / 0.078"	3.2mm / 0.12"	
BS-284	5.0mm / 0.20"	3.7mm / 0.14"	0.4mm / 0.015"	2.5mm / 0.10"	4.2mm / 0.16"	
BS-285	1.0mm / 0.04"	0.8mm / 0.03"	0.1mm / 0.004"	0.4mm / 0.015"	0.6mm / 0.02"	
BS-286	1.2mm / 0.05"	1.0mm / 0.04"	0.2mm / 0.007"	0.6mm / 0.023"	0.8mm / 0.03"	

• Size Comparison

Open Box Chain



Closed Box Chain



• Use Case




Snake Chain

Material : 316L Stainless Steel

Date: 2026-07-01


Version No. : Chain-4



Round
Snake Chain



NO.	Picture	Diameter
BS-113		0.6mm / 0.023"
BS-114		0.8mm / 0.031"
BS-115		0.9mm / 0.035"
BS-116		1.2mm / 0.047"
BS-117		1.5mm / 0.059"
BS-118		2.0mm / 0.20"
BS-119		2.4mm / 0.94"
BS-120		3.0mm / 0.12"



Square
Snake Chain




NO.	Picture	Diameter
BS-121		0.6mm / 0.023"
BS-122		0.8mm / 0.031"
BS-123		0.9mm / 0.035"
BS-124		1.2mm / 0.047"
BS-125		1.5mm / 0.059"
BS-126		2.0mm / 0.20"
BS-127		2.4mm / 0.94"
BS-128		3.0mm / 0.12"

Snake Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-5



Octagonal
Snake Chain



NO.	Picture	Diameter
BS-289		0.9mm / 0.035"
BS-290		1.2mm / 0.047"
BS-291		1.5mm / 0.059"
BS-292		1.8mm / 0.07"
BS-293		2.0mm / 0.20"
BS-294		3.0mm / 0.12"



Flat
Snake Chain



NO.	Picture	Diameter
BS-101		1.2mm / 0.047"
BS-102		1.5mm / 0.059"
BS-103		2.0mm / 0.20"
BS-104		3.0mm / 0.12"

Herringbone Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-6



Herringbone Chain



NO.	Picture	Wide	Blade Wide
BS-105		1.65mm / 0.065"	0.25mm / 0.098"
BS-106		2.0mm / 0.20"	0.3mm / 0.012"
BS-107		2.6mm / 0.10"	0.4mm / 0.015"
BS-108		3.2mm / 0.12"	0.5mm / 0.019"
BS-109		4.0mm / 0.16"	0.6mm / 0.023"
BS-110		5.0mm / 0.20"	0.8mm / 0.031"
BS-111		6.0mm / 0.24"	1.0mm / 0.039"
BS-112		7.0mm / 0.27"	1.2mm / 0.047"

• Use Case



Snake Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-7

Tightly Woven
Flat Polished
Snake Chain



NO.	Picture	Wide	Blade Wide
BS-024		2.0mm / 0.20"	0.3mm / 0.012"
BS-025		2.5mm / 0.10"	0.4mm / 0.015"
BS-026		3.2mm / 0.12"	0.5mm / 0.019"

Tightly Woven
High-Polish Sunflower
Snake Chain



NO.	Picture	Wide	Blade Wide
BS-027		2.0mm / 0.20"	0.3mm / 0.012"
BS-028		2.5mm / 0.10"	0.4mm / 0.015"
/			

Twisted
Tightly Woven
Snake Chain



NO.	Picture	Wide	Blade Wide
BS-137		1.65mm / 0.065"	0.25mm / 0.098"
BS-138		2.0mm / 0.20"	0.3mm / 0.012"
BS-139		2.5mm / 0.10"	0.4mm / 0.015"
BS-140		3.2mm / 0.12"	0.5mm / 0.019"

Snake Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-8

Polished Round
Round Snake Chain



NO.	Picture	Diameter
BS-029		0.9mm / 0.035"
BS-030		1.2mm / 0.047"
BS-031		1.5mm / 0.059"

Embossed Sunflower
Round Snake Chain



NO.	Picture	Diameter
BS-032		1.2mm / 0.047"
BS-033		1.5mm / 0.059"

Twisted Square
Snake Chain



NO.	Picture	Diameter
BS-034		0.9mm / 0.035"
BS-035		1.2mm / 0.047"
BS-036		1.5mm / 0.059"

Spaced
Twisted Square
Snake Chain



NO.	Picture	Diameter
BS-037		0.9mm / 0.035"
BS-038		1.2mm / 0.047"
BS-039		1.5mm / 0.059"


Rolo Chain

Material : 316L Stainless Steel

Date: 2026-07-01


Version No. : Chain-9

● Rolo Chain



NO.	Picture	Outer Width
BS-040		1.5mm / 0.059"
BS-041		1.7mm / 0.066"
BS-042		2.0mm / 0.078"
BS-043		2.3mm / 0.090"
BS-044		2.5mm / 0.098"
BS-045		3.0mm / 0.12"
BS-046		3.5mm / 0.014"
BS-047		4.0mm / 0.15"
BS-048		4.5mm / 0.17"

● Oval Rolo Chain



NO.	Picture	Length	Width
BS-056		2.8mm / 0.11"	3.8mm / 0.15"
BS-057		3.5mm / 0.14"	4.6mm / 0.18"
BS-058		3.8mm / 0.15"	5.8mm / 0.29"
BS-059		5.0mm / 0.19"	7.0mm / 0.27"

Spaced Bead Cross Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-10

- 15mm Spaced
Abacus Cross Chain



NO.	Picture	Chain Diameter	Bead Diameter	Space
BS-050		0.3mm / 0.012"	1.8mm / 0.070"	15mm
BS-051		0.4mm / 0.015"	2.0mm / 0.078"	15mm
BS-052		0.5mm / 0.019"	2.5mm / 0.098"	15mm

- Spaced
Double Bead
Cross Chain



NO.	Picture	Chain Diameter	Bead Diameter	Space
BS-053		0.35mm / 0.013"	3.0mm / 0.12"	28.0mm / 1.1"
BS-054		0.5mm / 0.019"	3.5mm / 0.13"	32.0mm / 1.26"

- Spaced Bead
Cross Chain



NO.	Picture	Chain Diameter	Bead Diameter	Space
BS-055		0.3mm / 0.012"	3.0mm / 0.12"	15.0mm / 0.59"
BS-056		0.35mm / 0.013"	3.0mm / 0.12"	35.0mm / 1.38"
BS-057		0.4mm / 0.015"	3.5mm / 0.13"	30.0mm / 1.18"
BS-058		0.5mm / 0.019"	3.5mm / 0.13"	25.0mm / 0.98"

Spacer Bead Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-11

15mm
Spaced Bead
Curb Chain



NO.	Picture	Chain Diameter	Bead Diameter	Space
BS-059		0.3mm / 0.012"	1.8mm / 0.070"	15.0mm / 0.59"
BS-060		0.4mm / 0.015"	2.0mm / 0.078"	15.0mm / 0.59"
BS-061		0.5mm / 0.019"	3.0mm / 0.12"	15.0mm / 0.59"
BS-062		0.6mm / 0.024"	3.5mm / 0.13"	15.0mm / 0.59"

18mm
Spaced Bead
Round Snake Chain



NO.	Picture	Chain Diameter	Bead Diameter	Space
BS-063		0.9mm / 0.035"	2.0mm / 0.078"	18.0mm / 0.71"
BS-064		1.2mm / 0.047"	2.5mm / 0.098"	18.0mm / 0.71"


Cross Chain

Material : 316L Stainless Steel

Date: 2026-07-01


Version No. : Chain-12

- Elliptic Faceted O Cross Chain



NO.	Picture	Wire Diameter	Width
BS-074		0.30mm / 0.012"	1.0mm / 0.039"
BS-075		0.40mm / 0.015"	1.5mm / 0.059"
BS-076		0.50mm / 0.019"	2.0mm / 0.078"
BS-077		0.60mm / 0.024"	2.5mm / 0.098"
BS-078		0.80mm / 0.031"	3.0mm / 0.012"

- Round Faceted O Cross Chain



NO.	Picture	Wire Diameter	Width
BS-323		0.30mm / 0.012"	1.0mm / 0.039"
BS-324		0.40mm / 0.015"	1.5mm / 0.059"
BS-325		0.50mm / 0.019"	2.0mm / 0.078"
BS-326		0.60mm / 0.024"	2.5mm / 0.098"
BS-327		0.80mm / 0.031"	3.0mm / 0.012"


Cross Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-13

- Embossed Sunflower Cross Chain



NO.	Picture	Wire Diameter	Width
BS-328		0.4mm / 0.015"	1.8mm / 0.070"
BS-329		0.5mm / 0.019"	2.5mm / 0.098"
BS-330		0.6mm / 0.024"	3.0mm / 0.12"
BS-331		0.8mm / 0.031"	4.0mm / 0.15"
BS-332		1.0mm / 0.039"	4.5mm / 0.17"

- Polished Cross Chain Cross Chain



NO.	Picture	Wire Diameter	Width
BS-081		0.40mm / 0.015"	
BS-082		0.50mm / 0.019"	
BS-083		0.60mm / 0.024"	


Cross Chain

Material : 316 Stainless Steel

Date: 2026-07-01

Version No. : Chain-14

- Embossed Sunflower Cross Chain



NO.	Picture	Wire Diameter	Width
BS-094		0.25mm / 0.009"	1.0mm / 0.039"
BS-095		0.3mm / 0.012"	1.2mm / 0.047"
BS-096		0.35mm / 0.013"	1.5mm / 0.059"
BS-097		0.4mm / 0.015"	1.8mm / 0.070"
BS-098		0.5mm / 0.019"	2.5mm / 0.098"
BS-099		0.6mm / 0.024"	3.0mm / 0.12"
BS-100		0.8mm / 0.031"	4.0mm / 0.15"

- Embossed Lantern Cross Chain

NO.	Picture	Wire Diameter	Width
BS-129		0.5mm / 0.019"	3.0mm / 0.12"
BS-130		0.5mm / 0.019"	3.5mm / 0.13"


Cuban Chain

Material : 316L Stainless Steel

Date: 2026-07-01


Version No. : Chain-15

- 4-Sided Polished Cuban Chain



NO.	Picture	Wire Diameter	Width
BS-094		0.3mm / 0.012"	0.9mm / 0.035"
BS-095		0.35mm / 0.013"	1.0mm / 0.039"
BS-096		0.4mm / 0.015"	1.2mm / 0.047"
BS-097		0.5mm / 0.019"	1.5mm / 0.059"
BS-098		0.6mm / 0.024"	1.8mm / 0.070"
BS-099		0.8mm / 0.031"	2.8mm / 0.113"
BS-100		1.0mm / 0.039"	3.0mm / 0.12"

- Double woven twisted chain



NO.	Picture	Wire Diameter	Width
BS-069		0.25mm / 0.01"	1.2mm / 0.047"
BS-070		0.30mm / 0.012"	1.5mm / 0.059"
BS-071		0.35mm / 0.014"	1.8mm / 0.070"
BS-072		0.45mm / 0.017"	2.0mm / 0.078"
BS-073		0.55mm / 0.021"	3.0mm / 0.12"


Rope Chain

Material : 316L Stainless Steel

Date: 2026-07-01


Version No. : Chain-16

● Lantern Rope Chain



NO.	Picture	Wire Diameter	Width
BS-273		0.25mm / 0.098"	1.0mm / 0.039"
BS-274		0.3mm / 0.012"	1.5mm / 0.059"
BS-275		0.4mm / 0.015"	2.0mm / 0.078"
BS-276		0.5mm / 0.019"	2.5mm / 0.047"


● Rope Chain



NO.	Picture	Wire Diameter	Width
BS-315		0.3mm / 0.012"	1.5mm / 0.059"
BS-316		0.4mm / 0.015"	2.0mm / 0.078"
BS-317		0.5mm / 0.019"	2.5mm / 0.047"

● Water Wave Chain



NO.	Picture	Wire Diameter	Width
BS-321		0.3mm / 0.012"	1.5mm / 0.059"
BS-322		0.4mm / 0.015"	2.0mm / 0.078"

Fancy Chain

Material : 316L Stainless Steel

Date: 2026-07-01

Version No. : Chain-17

- Cauliflower Chain




NO.	Picture	Wire Diameter	Width
BS-321		0.3mm / 0.012"	1.5mm / 0.059"
BS-322		0.4mm / 0.015"	2.0mm / 0.078"

- Extender Chain



NO.	Picture	Wire Diameter	Width
BS-273		0.3mm / 0.012"	1.5mm / 0.059"
BS-274		0.4mm / 0.015"	2.0mm / 0.078"
BS-275		0.5mm / 0.019"	2.5mm / 0.047"

- Square Wire Round Chain



NO.	Picture	Wire Diameter	Width
BS-324		0.3mm / 0.012"	1.8mm / 0.07"
BS-325		0.4mm / 0.015"	3.0mm / 0.12"
BS-326		0.5mm / 0.019"	4.0mm / 0.15"